



As ATA, we are the leader of firearms production and exporter in Turkey for more than 60 years. We are proud of exporting many firearms that we have pioneered in the sector to more than 70 countries in different parts of the world and raising a Turkish brand to this success in the

Since our foundation in 1955, we have always been a guide in the firearms sector. We produced the first side-by-side (1967), the first over & under (1973), the first semi-automatic shotguns (1992), the first bolt-action hunting rifle (2015), the first multi caliber sniper rifle (2019) in Turkey and led

In addition, since 2008 we have produced the famous American rifle brand Weatherby SA-08, Orion and Element. The Element model won the NRA Golden Bullseye Awards in 2016.

After obtaining rifle production permit, our company started to operate in the field of defense industry and produced the main parts of national rifle MPT 76 model and immediately pressed the button for the production of sniper

In the same period, our grenade launcher project speeded up and in 2018 we won the tender of the Defense Industry Presidency. ATA, which produces semi-automatic rifle to the Turkish Land Forces and semi-automatic rifle to the Turkish Naval Forces, also delivered to the armed forces of countries such as Georgia, Bahrain,

ATA now shows up in several defense industry exhibitions both in Turkey and abroad. In the near future, we aim to produce for the armed forces of many countries in the world and has begun to take steps for this goal rapidly.









TECHNICAL SPECIFICATIONS ALR

CALIBER (TWIST RATE)	.308 Win (1:11") (7,62x51 NATO) / .243 Win (1:10") / 6.5 Creedmoor (1:8")	WEIGHT	4.8 kg (10,55 lbs) - [ALR FS 4.25 kg (9.7 lbs) (Folding Stock model)] with Empty Magazine, no Muzzle Brake
OPERATION	Bolt Action	MAGAZINE	5 Round Detachable, Double Row, Steel
CHASSIS	Hard Anodized Aluminum	GRIP	Synthetic AR15 compatible grip
BARREL	47cm (18.5"), 51cm (20"), 56cm (22"), 61cm (24") Options Available - Button Rifled.	STOCK	Hard Anodized Aluminum Fixed Stock; Adjustable Length of Trigger Pull, Cheek Piece Height, Buttpad Height and Angle.
OVERALL LENGTH	43.3" (110cm) with 24" (61cm) Barrel Folded Length 95.5cm (37.6")	SLING POINTS	(Folding Stock Optionally Available) Slots for Quick Detach Sling Swivels
RECIEVER	Monoblock Steel with Integrated Locking Lug	ACCESSORY INTERFACE	M-LOK Slots, Picatinny Rail for Monopod Attachment
TRIGGER	Two Stage, Adjustable Weight 1.75 lbs to 3.5 lbs (0.8kg -1.6kg)	ACCESSORIES AVAILABLE	Muzzle Brake M14x1 or 5/8-24, 0, 20, 30, 40 MOA Picatinny Rails, Additional Buttpad Spacer, NV Hood Rail, Bag Rider.
SAFETY	Three Position Safety	ACCURACY	5-Shot SUB-MOA guaranteed at 100 meters with "Premium factory ammunition".




















↑ Multi Caliber Sniper Rifle



TECHNICAL SPECIFICATIONS ASR

MAGAZINE CAPACITY	10 rounds			
STOCK LENGTH ADJUSTMENT	60mm (2.4")			
CHEEK PIECE HEIGHT ADJUSTMENT	13mm (0.5")			
RECOIL PAD HEIGHT ADJUSTMENT	±24mm (±0.9")			
TRIGGER WEIGHT	600-1500g (1.3-3.3 lbs.)			
SAFETY SYSTEM	3-position safety: F-fire, S-safe (trigger locked), L-lock (bolt locked for transport)			
OPTICAL INTERFACE	MIL-STD-1913 Picatinny Rail with 20 MOA forward inclination			
ACCESSORY INTERFACE	HANDGUARD The octagonal handguard is equipped with M-lok interface, full length MIL-STD-1913 Picatinny rail	SLING FIXATION QD sling swivels located on the foreend, buttstock and reciever		
ACCURACY	SUB-MOA guaranteed at 100 meters with "Premium factory ammunition" in .300 Win Mag. and .338 Lapua Mag.	1/2 MOA guaranteed at 100 meters with "Premium factory ammunition" in 6.5 Creedmoor and .308 Win.		















CALIBER	LIBER STOCK		TWIST RIFLING		LENGTH	WEIGHT	
.308 Win (7,62x51 NATO)		609mm 24"	1:11"	4-groove	933mm (36,7") / 1181mm (46,5")	6240g (13.75lbs)	
.300 Win Mag.	Folding	686mm 27"	1:10"	6-groove	1009mm (39,7") / 1257mm (49,5")	6450g (14.2lbs)	
.338 Lapua Mag. (8,59x70)	- Folding	686mm 27"	1:10"	6-groove	1009mm (39,7") / 1257mm (49,5")	6440g (14.2lbs)	
6.5 Creedmoor		609mm 24"	1:8"	6-groove	933mm (36,7") / 1181mm (46,5")	6300g (13.9lbs)	

^SR™ Multi Caliber Sniper Rifle





QUICK CHANGE

Barrel or caliber change can be performed by the operator in field conditions less than a minute, by a torx wrench stored inside the forend grip.



3 LOCKING LUGS BOLT DESIGN

Three locking lugs design 60° bolt lift, quick detachable bolt heads.

Two stage design with adjustable weight of pull for every stage and trigger position.



INTEGRATED MONOPOD

Integrated monopod features two types of adjustments; precise or quick.





BA40 Grenade Launcher



BA 40 GRENADE LAUNCHER

BA 37/38 ANTI RIOT GUN

ם אם	O OKLINADE LADITOTIEK	DA 37/30 ANTI KIOT GON			
CALIBER	40x46mm LV	37/38mm Anti Riot Gun			
ТҮРЕ	Single Shot, Mounting on Rifle or Standalone Using Option	Single Shot, Mounting on Rifle or Standalone Using Option			
LENGTH	325mm (Without Stock) / 530mm (With Stock)	325mm (Without Stock) / 530mm (With Stock)			
HEIGHT	96mm (Without Stock) / 168mm (With Stock)	96mm (Without Stock) / 168mm (With Stock)			
WIDTH	65mm (Without Stock, With Stock)	65mm (Without Stock, With Stock)			
WEIGHT	1460gr (Without Stock) / 2540gr (With Stock)	1460gr (Without Stock) / 2540gr (With Stock)			
BARREL	6-groove, 1:47" Twist	Smoothbore			
LOADING	Right and Left	Right and Left			
BARREL LENGTH	240mm - 220mm	240mm			
TRIGGER	Double Action	Double Action			
SAFETY	Manual Safety Button, Manual Barrel Lock	Manual Safety Button, Manual Barrel Lock			
GRIP	Ergonomic AR15 Grip	Ergonomic AR15 Grip			
COLOR OPTIONS	Black & Flat Dark Earth	Black & Flat Dark Earth			


















BA40 MOUNTED ON APT 556 RIFLE



ATA SHOTGUN Law Enforcement



TECHNICAL SPECIFICATIONS ATASHOTGUN

OPERATING SYSTEM	PUMP ACTION			
GAUGE	12GA			
CHAMBER	76 mm (3")			
BARREL LENGTH	47 cm (18.5")			
СНОКЕ	EXTENDED CYLINDER			
MAGAZINE CAPACITY	5			
STOCK	SYNTHETIC - FOLDING			
WEIGHT	2.7 kg - 6 lbs			



TECHNICAL SPECIFICATIONS ATASHOTGUN

OPERATING SYSTEM	GAS OPERATED - SEMI or FULL AUTO			
GAUGE	12GA			
CHAMBER 76 mm (3")				
BARREL LENGTH	41 cm (16")			
СНОКЕ	EXTENDED CYLINDER			
MAGAZINE CAPACITY	5			
STOCK	SYNTHETIC - FOLDING - ADJUSTABLE			
WEIGHT	3.1 KG - 6.8 lbs			



ATA 1955™ Magazine Fed Shotgun



GAUGE	12GA	
CHAMBER	76 mm (3")	
BARREL LENGTH	47 cm (18.5")	
СНОКЕ	EXTENDED CYLINDER	
MAGAZINE CAPACITY	5 AND 10 ROUNDS	
STOCK	TELESCOPIC & ADJUSTABLE	
WEIGHT	3.5kg (7.8lbs)	



ATA 1955™ Magazine Fed Shotgun





APT 556_™ Assault Rifle



TECHNICAL SPECIFICATIONS APT556

	APT556 (14.5")	APT556 (10.5")	
CALIBER	5.56x45mm NATO	5.56x45mm NATO	
TYPE	Gas Operated	Gas Operated	
BARREL LENGTH	370mm (14.5")	270mm (10.5")	
BARREL	6 Grooved-Land	6 Grooved-Land	
OVERALL LENGTH	795mm-895mm (31.3" - 35.3")	695mm-795mm (27.4" - 31.3")	
WIDTH	65,6mm (2.58")	65,6mm (2.58")	
HEIGHT	185mm (7.28")	185mm (7.28")	
WEIGHT	3480grams (7.7 lbs)	3350grams (7.4 lbs)	
MAGAZINE CAPACITY	30 Rounds (AR15 Compatible)	30 Rounds (AR15 Compatible)	
SHOOTING TYPE	Semi-Auto/Full-Auto	Semi-Auto/Full-Auto	
TRIGGER PULL WEIGHT	2.5kg - 4kg (5.5lbs - 8.8 lbs)	2.5kg - 4kg (5.5lbs - 8.8 lbs)	







ETRO_™ Pump Action Shotgun



TECHNICAL SPECIFICATIONS ETRO

MODEL	GAUGE	BARREL LENGTH	СНОКЕ	MAGAZINE CAPACITY	STOCK	WEIGHT
ET 12	12	FROM 37cm (14 /1/2") to 51CM (20")	EXTENDED (CYLINDER)	5	TELESCOPIC	2.8 kg
ET 11	12	FROM 37cm (14 /1/2") to 51CM (20")	EXTENDED (CYLINDER)	5	ADJUSTABLE	2.8 kg
ET 10	12	FROM 37cm (14 /1/2") to 51CM (20")	EXTENDED (CYLINDER)	5	TACTICAL	3.0 kg
ET 08	12	FROM 37cm (14 /1/2") to 51CM (20")	EXTENDED (CYLINDER)	5	PISTOL GRIP	2.5 kg
ET 07	12	FROM 37cm (14 /1/2") to 51CM (20")	EXTENDED (CYLINDER)	5	FOLDING	2.8 kg
ET 09	12	FROM 37cm (14 /1/2") to 51CM (20")	EXTENDED (CYLINDER)	5	SYNTHETIC	2.8 kg













TECHNICAL SPECIFICATIONS ATA 9

9x19 mm
Semi-Auto Pistol
197,5mm
143mm
30mm (Grip)
805gr (with Empty Magazine)
15
AISI/SAE 4340 Steel
Polymer
Rotating barrel locked system
Manuel Safety, Hammer Block Safety Firing Pin Block Safety
Rotating Barrel, Button Rifled, 6 Groove-Land, 1:9,8" Twist Rate Barrel Length: 102mm (4")
Double Action/Single Action Trigger System, Single Action Trigger Weight: 1500gr-3500gr, Double Action Trigger Weight: 4000gr-6000gr
3-dot Sight, Sight Radius 144mm
Modular grip with 3 backstrap size (S-M-L)



TACTICAL Series









MODEL	OPERATING SYSTEM	GAUGE	CHAMBER	BARREL LENGTH	СНОКЕ	MAGAZINE CAPACITY	STOCK	WEIGHT
CY TACTICAL BLACK	GAS-SEMI-AUTO	12	3" 76 MM	47 CM - (18 1/2")	EXTENDED (CYLINDER)	7	TACTICAL	3.1 kg (6.83 lbs)
CY TACTICAL BRONZE	GAS-SEMI-AUTO	12	3" 76 MM	47 CM - (18 1/2")	EXTENDED (CYLINDER)	7	TACTICAL	3.1 kg (6.83 lbs)
CY TACTICAL TUNGSTEN	GAS-SEMI-AUTO	12	3" 76 MM	47 CM - (18 1/2")	EXTENDED (CYLINDER)	7	TACTICAL	3.1 kg (6.83 lbs)
CY TACTICAL OD GREEN	GAS-SEMI-AUTO	12	3" 76 MM	47 CM - (18 1/2")	EXTENDED (CYLINDER)	7	TACTICAL	3.1 kg (6.83 lbs)
NEO TACTICAL	INERTIA-SEMI-AUTO	12	3" 76 MM	47 CM - (18 1/2")	EXTENDED (CYLINDER)	4	TACTICAL	3.0 kg (6.6 lbs)









ATA Silah San. A.S.Alemdag Mah. Elmali Sk. No:5/A Cekmekoy 34794 Istanbul - Turkey
T: +90 216 466 45 68 F: +90 216 466 45 71









